



**HF-Elektroden 2,4 mm, 3/32 inch**


Monopolar Electrodes 2,4 mm, 3/32 inch  
Electrodes monopolaires 2,4 mm, 3/32 inch  
Electrodos monopolares 2,4 mm, 3/32 inch  
Elettrodi monopolari 2,4 mm, 3/32 inch

Ø 2,4 mm 




**123-440-130 130 mm Ø 10 mm**

Drahtschlingenelektrode  
Wire loop electrode  
Electrode à boucle en fil  
Electrodo de lazo de alambre  
Elettrodo a ansa a filo




**123-441-130 130 mm Ø 15 mm**

Drahtschlingenelektrode  
Wire loop electrode  
Electrode à boucle en fil  
Electrodo de lazo de alambre  
Elettrodo a ansa a filo



**123-442-130 130 mm Ø 20 mm**


Drahtschlingenelektrode  
Wire loop electrode  
Electrode à boucle en fil  
Electrodo de lazo de alambre  
Elettrodo a ansa a filo



**123-443-130 130 mm Ø 25 mm**

Drahtschlingenelektrode  
Wire loop electrode  
Electrode à boucle en fil  
Electrodo de lazo de alambre  
Elettrodo a ansa a filo



Ø 2,4 mm 

**HF-Elektroden 2,4 mm, 3/32 inch**

Monopolar Electrodes 2,4 mm, 3/32 inch  
 Electrodes monopolaires 2,4 mm, 3/32 inch  
 Electrodo monopolares 2,4 mm, 3/32 inch  
 Elettrodi monopolari 2,4 mm, 3/32 inch



**123-421-100 100 mm**

Nadelelektrode, gerade  
 Needle electrode, straight  
 Electrode à aiguille, droite  
 Electrodo de aguja, recto  
 Elettrodo a ago, retto



**123-429-100 100 mm**

Spatelelektrode, gerade  
 Blade electrode, straight  
 Electrode à spatule, droite  
 Electrodo de espátula, recto  
 Elettrodo a spatule, retto



**123-427-106 100 mm Ø 6 mm**

Kugelelektrode  
 Ball electrodes  
 Electrode à boule  
 Electrodo de bola  
 Elettrodo a sfera




**123-426-105 100 mm Ø 5 mm**

Drahtschlingenelektrode  
 Wire loop electrode  
 Electrode à boucle en fil  
 Electrodo de lazo de alambre  
 Elettrodo a ansa a filo

**123-426-101 100 mm Ø 10 mm**

Drahtschlingenelektrode  
 Wire loop electrode  
 Electrode à boucle en fil  
 Electrodo de lazo de alambre  
 Elettrodo a ansa a filo




**123-430-124 100 mm 2,4x2,4 mm**

Elektrodenverlängerung  
 Electrode extension  
 Rallonge d'électrode  
 Alargamiento para electrodo  
 Prolungamento per elettrodo



## HF-Elektroden 2,4 mm, 3/32 inch

Monopolar Electrodes 2,4 mm, 3/32 inch  
Electrodes monopolaires 2,4 mm, 3/32 inch  
Electrodos monopolares 2,4 mm, 3/32 inch  
Elettrodi monopolari 2,4 mm, 3/32 inch

Ø 2,4 mm 



**123-410-004 Ø 4 mm**  
Drahtschlingenelektrode  
Wire loop electrode  
Electrode à boucle en fil  
Electrodo de lazo de alambre  
Elettrodo a ansa a filo




**123-410-006 Ø 6 mm**  
Drahtschlingenelektrode  
Wire loop electrode  
Electrode à boucle en fil  
Electrodo de lazo de alambre  
Elettrodo a ansa a filo



**123-410-008 Ø 8 mm**  
Drahtschlingenelektrode  
Wire loop electrode  
Electrode à boucle en fil  
Electrodo de lazo de alambre  
Elettrodo a ansa a filo



**123-411-010 Ø 10 mm 0,2x0,6 mm**  
Bandschlingenelektrode  
Ribbon loop electrode  
Electrode à bande métallique  
Electrodo de lazo de cinta  
Elettrodo a ansa a nastro



**123-411-015 Ø 15 mm 0,2x0,6 mm**  
Bandschlingenelektrode  
Ribbon loop electrode  
Electrode à bande métallique  
Electrodo de lazo de cinta  
Elettrodo a ansa a nastro



**123-412-002 Ø 2 mm**  
Kugelelektrode  
Ball electrode  
Electrode à boule  
Electrodo de bola  
Elettrodo a sfera



**123-412-004 Ø 4 mm**  
Kugelelektrode  
Ball electrode  
Electrode à boule  
Electrodo de bola  
Elettrodo a sfera



**123-412-006 Ø 6 mm**  
Kugelelektrode  
Ball electrode  
Electrode à boule  
Electrodo de bola  
Elettrodo a sfera




### HF-Elektroden 2,4 mm, 3/32 inch

Monopolar Electrodes 2,4 mm, 3/32 inch  
Electrodes monopolaires 2,4 mm, 3/32 inch  
Electrodos monopolares 2,4 mm, 3/32 inch  
Elettrodi monopolari 2,4 mm, 3/32 inch

Ø2,4 mm



**123-401-000 22 mm**  
Nadelelektrode, gerade  
Needle electrode, straight  
Electrode à aiguille, droite  
Electrodo de aguja, recto  
Elettrodo a ago, retto



**123-409-000**  
Nadelelektrode, 45° abgewinkelt  
Needle electrode, 45° angled  
Electrode à aiguille, coudée 45°  
Electrodo de aguja, acodado 45°  
Elettrodo a ago, curvo 45°



**123-402-000**  
Messerelektrode, gerade  
Knife electrode, straight  
Electrode à couteau, droite  
Electrodo de cuchillo, recto  
Elettrodo a coltello, retto



**123-403-000**  
Messerelektrode, 45° abgewinkelt  
Knife electrode, 45° angled  
Electrode à couteau, coudée 45°  
Electrodo de cuchillo, acodado 45°  
Elettrodo a coltello, curvo 45°



**123-404-000**  
Lanzettelektrode, gerade  
Lancet electrode, straight  
Electrode à lancette, droite  
Electrodo de lanceta, recto  
Elettrodo a lancetta, retto



**123-405-000**  
Lanzettelektrode, 45° abgewinkelt  
Lancet electrode, 45° angled  
Electrode à lancette, coudée 45°  
Electrodo de lanceta, acodado 45°  
Elettrodo a lancetta, curvo 45°



**123-406-000 30 mm**  
Spatelelektrode, gerade  
Blade electrode, straight  
Electrode à spatule, droite  
Electrodo de espátula, recto  
Elettrodo a spatule, retto




**123-407-000**  
Spatelelektrode, 45° abgewinkelt  
Blade electrode, 45° angled  
Electrode à spatule, coudée 45°  
Electrodo de espátula, acodado 45°  
Elettrodo a spatule, curvo 45°

## HF-Elektroden 2,4 mm, 3/32 inch

Monopolar Electrodes 2,4 mm, 3/32 inch  
Electrodes monopolaires 2,4 mm, 3/32 inch  
Electrodos monopolares 2,4 mm, 3/32 inch  
Elettrodi monopolari 2,4 mm, 3/32 inch

Ø 2,4 mm 



### 123-509-024 20 mm

Mikrodissektions-Nadelelektrode, 45° abgewinkelt, Nadel Ø 0,25 x 4 mm  
Microdissection needle electrode, 45° angled, needle Ø 0,25 x 4 mm  
Micro démembrément électrode à aiguille, coudée 45°, aiguille Ø 0,25 x 4 mm  
Micro disección electrodo de aguja, acodado 45°, aguja Ø 0,25 x 4 mm  
Micro dissezione elettrodo a ago, curvo 45°, ago Ø 0,25 x 4 mm



### 123-509-034 35 mm

Mikrodissektions-Nadelelektrode, 45° abgewinkelt, Nadel Ø 0,25 x 4 mm  
Microdissection needle electrode, 45° angled, needle Ø 0,25 x 4 mm  
Micro démembrément électrode à aiguille, coudée 45°, aiguille Ø 0,25 x 4 mm  
Micro disección electrodo de aguja, acodado 45°, aguja Ø 0,25 x 4 mm  
Micro dissezione elettrodo a ago, curvo 45°, ago Ø 0,25 x 4 mm



### 123-509-074 70 mm

Mikrodissektions-Nadelelektrode, 45° abgewinkelt, Nadel Ø 0,25 x 4 mm  
Microdissection needle electrode, 45° angled, needle Ø 0,25 x 4 mm  
Micro démembrément électrode à aiguille, coudée 45°, aiguille Ø 0,25 x 4 mm  
Micro disección electrodo de aguja, acodado 45°, aguja Ø 0,25 x 4 mm  
Micro dissezione elettrodo a ago, curvo 45°, ago Ø 0,25 x 4 mm



### 123-509-104 105 mm


Mikrodissektions-Nadelelektrode, 45° abgewinkelt, Nadel Ø 0,25 x 4 mm  
Microdissection needle electrode, 45° angled, needle Ø 0,25 x 4 mm  
Micro démembrément électrode à aiguille, coudée 45°, aiguille Ø 0,25 x 4 mm  
Micro disección electrodo de aguja, acodado 45°, aguja Ø 0,25 x 4 mm  
Micro dissezione elettrodo a ago, curvo 45°, ago Ø 0,25 x 4 mm



Ø 2,4 mm 


### HF-Elektroden 2,4 mm, 3/32 inch

Monopolar Electrodes 2,4 mm, 3/32 inch  
Electrodes monopolaires 2,4 mm, 3/32 inch  
Electrodos monopolares 2,4 mm, 3/32 inch  
Elettrodi monopolari 2,4 mm, 3/32 inch



#### 123-501-024 20 mm

Mikrodissektions-Nadelelektrode, Nadel Ø 0,25 x 4 mm  
Microdissection needle electrode, needle Ø 0,25 x 4 mm  
Micro démembrément électrode à aiguille, aiguille Ø 0,25 x 4 mm  
Micro disección electrodo de aguja, aguja Ø 0,25 x 4 mm  
Micro dissezione elettrodo a ago, ago Ø 0,25 x 4 mm




#### 123-501-034 35 mm

Mikrodissektions-Nadelelektrode, Nadel Ø 0,25 x 4 mm  
Microdissection needle electrode, needle Ø 0,25 x 4 mm  
Micro démembrément électrode à aiguille, aiguille Ø 0,25 x 4 mm  
Micro disección electrodo de aguja, aguja Ø 0,25 x 4 mm  
Micro dissezione elettrodo a ago, ago Ø 0,25 x 4 mm



#### 123-501-074 70 mm

Mikrodissektions-Nadelelektrode, Nadel Ø 0,25 x 4 mm  
Microdissection needle electrode, needle Ø 0,25 x 4 mm  
Micro démembrément électrode à aiguille, aiguille Ø 0,25 x 4 mm  
Micro disección electrodo de aguja, aguja Ø 0,25 x 4 mm  
Micro dissezione elettrodo a ago, ago Ø 0,25 x 4 mm




#### 123-501-104 105 mm

Mikrodissektions-Nadelelektrode, Nadel Ø 0,25 x 4 mm  
Microdissection needle electrode, needle Ø 0,25 x 4 mm  
Micro démembrément électrode à aiguille, aiguille Ø 0,25 x 4 mm  
Micro disección electrodo de aguja, aguja Ø 0,25 x 4 mm  
Micro dissezione elettrodo a ago, ago Ø 0,25 x 4 mm

## HF-Elektroden 2,4 mm, 3/32 inch

Monopolar Electrodes 2,4 mm, 3/32 inch  
Electrodes monopolaires 2,4 mm, 3/32 inch  
Electrodos monopolares 2,4 mm, 3/32 inch  
Elettrodi monopolari 2,4 mm, 3/32 inch

Ø 2,4 mm 



### 123-609-024 20 mm

Wolfram-Nadelelektrode mit Keramikisolation, 45° abgewinkelt, Nadel Ø 0,5 x 5 mm  
Tungsten needle electrode with ceramic isolation, 45° angled, needle Ø 0,5 x 5 mm  
Electrode tungstène à aiguille avec isolation céramique, coudée 45°, aiguille Ø 0,5 x 5 mm  
Electrodo del tungsteno de aguja con aislamiento cerámica, acodado 45°, aguja Ø 0,5 x 5 mm  
Elettrodo di tungsteno a ago con isolamento ceramica, curvo 45°, ago Ø 0,5 x 5 mm



### 123-609-034 35 mm

Wolfram-Nadelelektrode mit Keramikisolation, 45° abgewinkelt, Nadel Ø 0,5 x 5 mm  
Tungsten needle electrode with ceramic isolation, 45° angled, needle Ø 0,5 x 5 mm  
Electrode tungstène à aiguille avec isolation céramique, coudée 45°, aiguille Ø 0,5 x 5 mm  
Electrodo del tungsteno de aguja con aislamiento cerámica, acodado 45°, aguja Ø 0,5 x 5 mm  
Elettrodo di tungsteno a ago con isolamento ceramica, curvo 45°, ago Ø 0,5 x 5 mm



### 123-609-074 70 mm

Wolfram-Nadelelektrode mit Keramikisolation, 45° abgewinkelt, Nadel Ø 0,5 x 5 mm  
Tungsten needle electrode with ceramic isolation, 45° angled, needle Ø 0,5 x 5 mm  
Electrode tungstène à aiguille avec isolation céramique, coudée 45°, aiguille Ø 0,5 x 5 mm  
Electrodo del tungsteno de aguja con aislamiento cerámica, acodado 45°, aguja Ø 0,5 x 5 mm  
Elettrodo di tungsteno a ago con isolamento ceramica, curvo 45°, ago Ø 0,5 x 5 mm



### 123-609-104 105 mm


Wolfram-Nadelelektrode mit Keramikisolation, 45° abgewinkelt, Nadel Ø 0,5 x 5 mm  
Tungsten needle electrode with ceramic isolation, 45° angled, needle Ø 0,5 x 5 mm  
Electrode tungstène à aiguille avec isolation céramique, coudée 45°, aiguille Ø 0,5 x 5 mm  
Electrodo del tungsteno de aguja con aislamiento cerámica, acodado 45°, aguja Ø 0,5 x 5 mm  
Elettrodo di tungsteno a ago con isolamento ceramica, curvo 45°, ago Ø 0,5 x 5 mm



Ø2,4 mm 


### HF-Elektroden 2,4 mm, 3/32 inch

Monopolar Electrodes 2,4 mm, 3/32 inch  
Electrodes monopolaires 2,4 mm, 3/32 inch  
Electrodos monopolares 2,4 mm, 3/32 inch  
Elettrodi monopolari 2,4 mm, 3/32 inch



#### 123-601-024 20 mm

Wolfram-Nadelelektrode mit Keramikisolation, Nadel Ø 0,5x5 mm  
Tungsten needle electrode with ceramic isolation, needle Ø 0,5x5 mm  
Electrode tungstène à aiguille avec isolation céramique, aiguille Ø 0,5x5 mm  
Electrodo del tungsteno de aguja con aislamiento cerámica, aguja Ø 0,5x5 mm  
Elettrodo di tungsteno a ago con isolamento ceramica, ago Ø 0,5x5 mm




#### 123-601-034 35 mm

Wolfram-Nadelelektrode mit Keramikisolation, Nadel Ø 0,5x5 mm  
Tungsten needle electrode with ceramic isolation, needle Ø 0,5x5 mm  
Electrode tungstène à aiguille avec isolation céramique, aiguille Ø 0,5x5 mm  
Electrodo del tungsteno de aguja con aislamiento cerámica, aguja Ø 0,5x5 mm  
Elettrodo di tungsteno a ago con isolamento ceramica, ago Ø 0,5x5 mm



#### 123-601-074 70 mm

Wolfram-Nadelelektrode mit Keramikisolation, Nadel Ø 0,5x5 mm  
Tungsten needle electrode with ceramic isolation, needle Ø 0,5x5 mm  
Electrode tungstène à aiguille, isolation céramique, aiguille Ø 0,5x5 mm  
Electrodo del tungsteno de aguja con aislamiento cerámica, aguja Ø 0,5x5 mm  
Elettrodo di tungsteno a ago con isolamento ceramica, ago Ø 0,5x5 mm



#### 123-601-104 105 mm

Wolfram-Nadelelektrode mit Keramikisolation, Nadel Ø 0,5x5 mm  
Tungsten needle electrode with ceramic isolation, needle Ø 0,5x5 mm  
Electrode tungstène à aiguille avec isolation céramique, aiguille Ø 0,5x5 mm  
Electrodo del tungsteno de aguja con aislamiento cerámica, aguja Ø 0,5x5 mm  
Elettrodo di tungsteno a ago con isolamento ceramica, ago Ø 0,5x5 mm

